

ARMY RESEARCH LABORATORY



Thermophysical Properties of RDX

by Martin S. Miller

ARL-TR-1319

March 1997

19970312 009

DTIC QUALITY INSPECTED 2

Approved for public release; distribution is unlimited.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer need. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5066

ARL-TR-1319**March 1997**

Thermophysical Properties of RDX

Martin S. Miller

Weapons and Materials Research Directorate, ARL

Abstract

Measurements of the thermal conductivity and thermal diffusivity of RDX (cyclotrimethylenetrinitramine) over the ambient temperature range -20° to $+50^{\circ}\text{C}$ are reported using a recently developed transient technique for small specimens of energetic material. These data are obtained from 95% of TMD, pressed-powder specimens. Both the thermal conductivity and derived values of the specific heat are in good agreement with previous measurements made at somewhat higher temperatures.

TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES	v
LIST OF TABLES	v
1. INTRODUCTION	1
2. EXPERIMENTAL	1
3. RESULTS	2
5. DISCUSSION	5
6. REFERENCES	7
DISTRIBUTION LIST	9
REPORT DOCUMENTATION PAGE	15

INTENTIONALLY LEFT BLANK.

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
1.	Thermal conductivity of polycrystalline RDX: open circles - present data, filled circles - data of Shoemaker, et al. ³ , thin line - $0.147/T$, heavy line - $\lambda(T)$ functionality suggested by composite data set (See Discussion section.).	3
2.	Specific heat of RDX: filled circles - DSC data of Shoemaker, et al. ³ , filled squares - data from Dobratz ⁴ , open circles - inferred from present conductivity and diffusivity data.	4

LIST OF TABLES

<u>Table</u>		<u>Page</u>
1.	Measured thermophysical properties of polycrystalline RDX	2

INTENTIONALLY LEFT BLANK.

1. INTRODUCTION

Thermal properties of pure nitramines are of considerable interest to the energetic-materials community, yet accurate measurements of these properties are nontrivial and almost nonexistent in the open literature. Propellants and plastic-bonded explosives typically contain more than a two-thirds mass fraction of RDX (cyclotrimethylenetrinitramine) or HMX (cyclotetramethylenetetranitramine). Because the individual crystals in these composites are randomly oriented relative to one another, there is a particular need for thermal properties of these nitramines in polycrystalline form. This note reports simultaneous measurements of the thermal conductivity and thermal diffusivity of pressed-powder specimens of RDX using a technique recently developed for small test specimens of energetic materials¹. These data were obtained for specimen temperatures ranging approximately between -20°C and $+50^{\circ}\text{C}$.

2. EXPERIMENTAL

The technique used is fully described by Miller and Kotlar¹, but a brief summary is provided here for convenience. The experimental setup is designed to provide a close approximation to the mathematically ideal case of a step-function heat flux emanating from the planar boundary between two semi-infinite solids. Experimentally, the heat flux is generated by the sudden onset of resistive heating of a $5\text{-}\mu\text{m}$ -thick Constantan foil. Due to the finite heat capacity of the foil, a nonideal step-function heat flux is produced by a step-function current in the foil. The extent to which measurements of the diffusivity are affected by this nonideality has been determined². Under the conditions reported here, the resulting error is less than 2.5%. The test specimen approximates one of the two semi-infinite solids, and a material of known thermal properties (polymethylmethacrylate) approximates the other. Under present conditions, the finite thickness of the specimen contributes less than 1% error to the reported measurements. The test specimen consists of two separate parts, a wafer 0.7 mm thick by 6 mm diameter and a "backup" piece 6.5 mm long by 6 mm diameter. Between these two specimen parts is interposed a $5\text{-}\mu\text{m}$ -

thick Chromel/Alumel foil-type thermocouple. After the sudden onset of the heat flux, the temperature between the two specimen pieces is measured for a period of about 4 s and compared to the exact solution of the idealization. Values of the diffusivity and conductivity are found by a nonlinear least-squares fit of the solution to the data. The overall accuracy of the method is estimated to be about 5%.

The test fixture described in Miller and Kotlar¹ consists of a cylindrical copper block with voids suitably milled from the interior to provide support for the foil, specimen, and thermocouple. Although the original description of the technique was confined to ambient laboratory temperature, copper was used in anticipation of the need to equilibrate the specimen rapidly to various temperatures and to provide a uniform-temperature surround for the specimen in order to measure thermal properties at different temperatures. Temperature control of the specimen was achieved by soldering copper tubing to the exterior of the fixture and fitting it with a mineral-fiber insulation jacket. A 50% ethylene glycol mixture with water was then circulated through the tubing from a temperature-controlled reservoir. Auxiliary experiments were performed to determine the time needed for the fixture to reach various steady-state temperatures before testing could begin.

The RDX powder used in this study was obtained from Waltham Abbey, England and was of higher purity than the U.S. military grade. High pressure liquid chromatography (HPLC) analysis revealed it to have a 1% HMX impurity. The wafer and backup piece were formed separately by pressing in a steel die to about 95% of theoretical maximum density (TMD). After pressing, the specimen pieces were desiccated for several weeks prior to testing.

3. RESULTS

Tests were performed at four temperatures spanning the approximate range of -20°C to +50°C. The averages and standard deviations of five experiments at each temperature are given

in Table 1. All measurements were performed on a single composite specimen. These data may be compared with prior work over a complementary temperature range. Figure 1 shows our data for thermal conductivity along with that of Shoemaker, Stark, and Taylor³, who used a laser-flash method on a pressed-powder specimen. The agreement is good. Another comparison is afforded by measurements of the specific heat using differential scanning calorimetry (DSC), also reported by Shoemaker, et al.³ Utilizing the definition of thermal diffusivity, $\alpha = \lambda/(\rho c_p)$, where α is the diffusivity, λ is the thermal conductivity, ρ is the mass density, and c_p is the specific heat, we computed a value for the specific heat from our measured values of conductivity and diffusivity. We assumed a value for the powder density of 1.716 g/cm³ based on 95% of TMD (1.806 g/cm³)⁴ mentioned previously. The resulting comparison is shown in Figure 2 along with the addition of a third set of data given by Dobratz⁴. The agreement among all three data sets is good. Shoemaker, et al.³ state that military-grade RDX was used in their experiments. This means that up to about 20% of HMX may have existed as an impurity in their test specimens; no chemical analysis was reported by these authors. Also, no information on sample purity was given for the data quoted in Dobratz⁴.

Table 1. Measured Thermophysical Properties of Polycrystalline RDX

Temperature (K)	$10^4 \times$ Thermal Conductivity (cal/cm-s-°C)	$10^3 \times$ Thermal Diffusivity (cm ² /s)
255	4.74 ± 0.22	1.32 ± 0.04
276	5.44 ± 0.28	1.32 ± 0.04
295	4.62 ± 0.34	1.08 ± 0.05
320	4.88 ± 0.19	1.09 ± 0.02




Figure 1. Thermal conductivity of polycrystalline RDX: open circles - present data, filled circles - data of Shoemaker, et al.,³ thin line - $0.147/T$, heavy line - $\lambda(T)$ functionality suggested by composite data set (See Section 4).




Figure 2. Specific heat of RDX: filled circles - DSC data of Shoemaker, et al.³, filled squares - data from Dobratz⁴, open circles - inferred from present conductivity and diffusivity data.

4. DISCUSSION

According to theory⁵ the intrinsic thermal conductivity of a dielectric crystalline material (i. e., the conductivity in the absence of lattice imperfections) has a $1/T$ temperature dependence at high temperatures. For this reason the data of Figure 1 are plotted on a log-log scale, and the thin straight line is a least-squares fit of the function b/T to the combined data sets excluding the point at lowest temperature. The resulting value of b is 0.147 in the units appropriate to the figure. In the low-temperature limit, λ increases with temperature, according to theory⁵. A peak is thus expected on theoretical grounds in the curve $\lambda(T)$. The line b/T is consistent with the standard deviations of our three highest temperature measurements and the data of Shoemaker, et al.³; however, our lowest temperature measurement is almost five standard deviations below the b/T line. We therefore speculate that our data encompass the maximum in $\lambda(T)$ for RDX and draw the heavy curved line in Figure 1 to suggest a functionality consistent with all of the data. Further measurements at still lower temperatures would be desirable to confirm this behavior but were not possible within the constraints of this work. Interestingly, the value of b obtained from a least-squares fit to the Shoemaker, et al.³ data alone differed from the value obtained from a fit to our data alone (excluding the data at 255 K) by only 0.3%, a fact which is not immediately evident from Figure 1, but one which adds confidence to the combined-data fit. Finally, we note that the fit, $\lambda(T) = b/T$, found above should provide a reasonable basis for extrapolation up to the melting point 478 K, provided that the application times considered do not permit appreciable thermal decomposition to occur.

5. REFERENCES

1. Miller, M. S., and A. J. Kotlar. "Technique for Measuring Thermal Diffusivity/Conductivity of Small Thermal-Insulator Specimens." Review of Scientific Instruments, vol. 64, no. 10, pp. 2954-2960, 1993.
2. Miller, M. S. "Step-Function Current in a Metallic Foil as a Step-Function Heat-Flux Source." Journal of Applied Physics, vol. 72, no. 9, pp. 3904-3907, 1992.
3. Shoemaker, R. L., J. A. Stark, and R. E. Taylor. "Thermophysical Properties of Propellants." High Temperatures - High Pressures, vol. 17, pp. 429-435, 1985.
4. Dobratz, B. M. "Properties of Chemical Explosives and Explosive Simulants." Lawrence Livermore National Laboratory, UCRL-51319 Rev. 1, Livermore, CA, July 1974.
5. Klemens, P. G. "Theory of the Thermal Conductivity of Solids." Thermal Conductivity, 1st ed., vol. 1, Chapter 1, edited by R. P. Tye, New York: Academic Press, 1969.

INTENTIONALLY LEFT BLANK

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	DEFENSE TECHNICAL INFO CTR ATTN DTIC DDA 8725 JOHN J KINGMAN RD STE 0944 FT BELVOIR VA 22060-6218
1	HQDA DAMO FDQ ATTN DENNIS SCHMIDT 400 ARMY PENTAGON WASHINGTON DC 20310-0460
1	US MILITARY ACADEMY MATH SCI CTR OF EXCELLENCE DEPT OF MATHEMATICAL SCI ATTN MDN A MAJ DON ENGEN THAYER HALL WEST POINT NY 10996-1786
1	DIRECTOR US ARMY RESEARCH LAB ATTN AMSRL CS AL TP 2800 POWDER MILL RD ADELPHI MD 20783-1145
1	DIRECTOR US ARMY RESEARCH LAB ATTN AMSRL CS AL TA 2800 POWDER MILL RD ADELPHI MD 20783-1145
3	DIRECTOR US ARMY RESEARCH LAB ATTN AMSRL CI LL 2800 POWDER MILL RD ADELPHI MD 20783-1145
	<u>ABERDEEN PROVING GROUND</u>
2	DIR USARL ATTN AMSRL CI LP (305)

NO. OF COPIES	ORGANIZATION
4	NATIONAL BUREAU OF STANDARDS US DEPARTMENT OF COMMERCE ATTN J HASTIE M JACOX T KASHIWAGI H SEMERJIAN WASHINGTON DC 20234
1	OSD/SDIO/IST ATTN L CAVENY PENTAGON WASHINGTON DC 20301-7100
2	HQDA SARD TT DR F MILTON MR J APPEL WASH DC 20310-0103
1	HQDA OASA RDA ATTN DR C H CHURCH PENTAGON ROOM 3E486 WASH DC 20310-0103
5	CDR ARO ATTN R GHIRARDELLI D MANN R SINGLETON R SHAW AMXRO RT IP LIBRARY SERVICES PO BOX 12211 RSCH TRIANGLE PARK NC 27709-2211
3	CDR ARDEC ATTN SMCAR AEE B D S DOWNS SMCAR AEE BR L HARRIS SMCAR AEE J A LANNON PICATINNY ARSENAL NJ 07806-5000
1	DIRECTOR US ARMY BENET LABORATORY ATTN SMCAR CCB B SAM SOPOK WATERVALIET NY 12189
2	CDR MICOM ATTN AMSMI RD PR E A R MAYKUT AMSMI RD PR P R BETTS REDSTONE ARSENAL AL 35898-5000
1	OFFICE OF NAVAL RESEARCH DEPARTMENT OF THE NAVY ATTN R S MILLER CODE 432 800 N QUINCY STREET ARLINGTON, VA 22217

NO. OF COPIES	ORGANIZATION
1	CDR NAVAL AIR SYSTEMS CMD ATTN J RAMNARACE AIR-54111C WASHINGTON DC 20360
2	CDR NAVAL SURFACE WARFARE CTR ATTN R BERNECKER R-13 G B WILMOT R-16 SILVER SPRING MD 20903-5000
5	CDR NAVAL RESEARCH LABORATORY ATTN M C LIN J MCDONALD E ORAN J SHNUR R J DOYLE CODE 6110 WASHINGTON DC 20375
2	CDR NAVAL WEAPONS CTR ATTN T BOGGS CODE 388 T PARR CODE 3895 CHINA LAKE CA 93555-6001
1	SUPERINTENDENT NAVAL POSTGRADUATE SCHOOL DEPT OF AERONAUTICS ATTN D W NETZER MONTEREY CA 93940
3	AL/LSCF ATTN R CORLEY R GEISLER J LEVINE EDWARDS AFB CA 93523-5000
1	AFOSR ATTN J M TISHKOFF BOLLING AFB WASHINGTON DC 20332
1	CMDT USAFAS ATTN ATSF TSM CN FORT SILL OK 73503-5600
1	UNIV OF DAYTON RSCH INSTITUTE ATTN D CAMPBELL AL/PAP EDWARDS AFB CA 93523
1	NASA LANGLEY RESEARCH CENTER LANGLEY STATION ATTN G B NORTHAM MS 168 HAMPTON VA 23365

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	DIR LANL ATTN B NICHOLS T7 MS-B284 PO BOX 1663 LOS ALAMOS NM 87545	4	PENNSYLVANIA STATE UNIV DEPT OF MECHANICAL ENGINEERING ATTN K KUO M MICCI S THYNELL V YANG UNIVERSITY PARK PA 16802
2	DIR LLNL ATTN C WESTBROOK W TAO MS L282 PO BOX 808 LIVERMORE CA 94550	2	PRINCETON UNIVERSITY FORRESTAL CAMPUS LIBRARY ATTN K BREZINSKY I GLASSMAN PO BOX 710 PRINCETON NJ 08540
3	DIR SNL DIVISION 8354 ATTN S JOHNSTON P MATTERN D STEPHENSON LIVERMORE CA 94550	1	PURDUE UNIVERSITY SCHOOL OF AERONAUTICS & ASTRONAUTICS ATTN J R OSBORN GRISSOM HALL WEST LAFAYETTE IN 47906
1	BRIGHAM YOUNG UNIV DEPT OF CHEMICAL ENGINEERING ATTN M W BECKSTEAD PROVO UT 84058	1	PURDUE UNIVERSITY DEPT OF CHEMISTRY ATTN E GRANT WEST LAFAYETTE, IN 47906
1	CA INSTITUTE OF TECHNOLOGY JET PROPULSION LABORATORY ATTN L STRAND MS 125-224 4800 OAK GROVE DRIVE PASADENA CA 91109	2	PURDUE UNIVERSITY SCHOOL OF MECH ENGINEERING ATTN N M LAURENDEAU S N B MURTHY TSPC CHAFFEE HALL WEST LAFAYETTE IN 47906
1	CA INSTITUTE OF TECHNOLOGY ATTN F E C CULICK MC 301-46 204 KARMAN LAB PASADENA CA 91125	1	RENSSELAER POLYTECHNIC INST DEPT OF CHEMICAL ENGINEERING ATTN A FONTIJN TROY NY 12181
1	CORNELL UNIV DEPARTMENT OF CHEMISTRY ATTN T A COOL BAKER LABORATORY ITHACA NY 14853	1	STANFORD UNIVERSITY DEPT OF MECH ENGINEERING ATTN R HANSON STANFORD CA 94305
3	GA INST OF TECHNOLOGY SCHOOL OF AEROSPACE ENGINEERING ATTN E PRICE W C STRAHLE B T ZINN ATLANTA GA 30332	1	UNIV OF CALIFORNIA LOS ALAMOS SCIENTIFIC LAB PO BOX 1663 MS B216 LOS ALAMOS NM 87545
1	THE JOHNS HOPKINS UNIV CHEMICAL PROPULSION INFO AGENCY ATTN T W CHRISTIAN 10630 LITTLE PATUXENT PKWY STE 202 COLUMBIA MD 21044-3200	1	UNIV OF CA-BERKELEY CHEMISTRY DEPARMENT ATTN C BRADLEY MOORE 211 LEWIS HALL BERKELEY CA 94720

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>	<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
1	UNIV OF CA SAN DIEGO ATTN F A WILLIAMS AMES B010 LA JOLLA CA 92093	1	UNIVERSITY OF TEXAS DEPT OF CHEMISTRY ATTN W GARDINER AUSTIN TX 78712
2	UNIV OF CA SANTA BARBARA QUANTUM INSTITUTE ATTN K SCHOFIELD M STEINBERG SANTA BARBARA CA 93106	1	VA POLYTECHNIC INST & STATE UNIV ATTN J A SCHETZ BLACKSBURG VA 24061
1	UNIV OF CO AT BOULDER ENGINEERING CENTER ATTN J DAILY CAMPUS BOX 427 BOULDER CO 80309-0427	8	ALLIANT TECHSYSTEMS INC MARINE SYSTEMS GROUP ATTN R BECKER J BODE D E BRODEN MS MN50-2000 R BURETTA C CANDLAND L OSGOOD M SWENSON R E TOMPKINS MN 11-2720 600 2ND STREET NE HOPKINS MN 55343
1	UNIV OF DELAWARE ATTN T BRILL CHEMISTRY DEPARTMENT NEWARK DE 19711	1	APPLIED COMBUSTION TECH INC ATTN A M VARNEY PO BOX 607885 ORLANDO FL 32860
1	UNIV OF FLORIDA DEPT OF CHEMISTRY ATTN J WINEFORDNER GAINESVILLE FL 32611	2	APPLIED MECHANICS REVIEWS THE AMERICAN SOCIETY OF MECH ENGINEERS ATTN R E WHITE A B WENZEL 345 E 47TH STREET NEW YORK NY 10017
1	UNIV OF ILLINOIS DEPT OF MECH ENG ATTN H KRIER 144MEB 1206 W GREEN ST URBANA IL 61801	1	BATTELLE TWSTIAC HUGGINS 505 KING AVENUE COLUMBUS OH 43201-2693
1	UNIV OF MICHIGAN GAS DYNAMICS LAB AEROSPACE ENGINEERING BLDG ATTN G M FAETH ANN ARBOR MI 48109-2140	1	COHEN PROFESSIONAL SERVICES ATTN N S COHEN 141 CHANNING STREET REDLANDS CA 92373
1	UNIV OF MINNESOTA DEPT OF MECH ENGINEERING ATTN E FLETCHER MINNEAPOLIS MN 55455	1	EXXON RESEARCH & ENG CO ATTN A DEAN ROUTE 22E ANNANDALE NJ 08801
3	UNIV OF SOUTHERN CA DEPT OF CHEMISTRY ATTN R BEAUDET S BENSON C WITTIG LOS ANGELES CA 90007	1	FREEDMAN ASSOCIATES ATTN E FREEDMAN 2411 DIANA ROAD BALTIMORE MD 21209-1525

NO. OF
COPIES ORGANIZATION

1 GE ORDNANCE SYSTEMS
ATTN J MANDZY
100 PLASTICS AVENUE
PITTSFIELD MA 01203

1 GENERAL APPLIED SCIENCE LABS INC
77 RAYNOR AVENUE
RONKONKAMA NY 11779-6649

1 GENERAL MOTORS RSCH LABS
PHYSICAL CHEMISTRY DEPARTMENT
ATTN T SLOANE
WARREN MI 48090-9055

2 HERCULES INC
ALLEGHENY BALLISTICS LAB
ATTN W B WALKUP
E A YOUNT
PO BOX 210
ROCKET CENTER WV 26726

1 HERCULES INC
ATTN R V CARTWRIGHT
100 HOWARD BLVD
KENVIL NJ 07847

1 HUGHES AIRCRAFT COMPANY
ATTN T E WARD
8433 FALLBROOK AVENUE
CANOGA PARK CA 91303

1 IBM CORPORATION
RESEARCH DIVISION
ATTN A C TAM
5600 COTTLE ROAD
SAN JOSE CA 95193

1 IIT RESEARCH INSTITUTE
ATTN R F REMALY
10 WEST 35TH STREET
CHICAGO IL 60616

1 LOCKHEED MISSILES & SPACE CO
DEPT 52-35 B204 2
ATTN GEORGE LO
3251 HANOVER STREET
PALO ALTO CA 94304

1 OLIN ORDNANCE
ATTN V MCDONALD LIBRARY
PO BOX 222
ST MARKS FL 32355-0222

NO. OF
COPIES ORGANIZATION

1 PAUL GOUGH ASSOCIATES INC
ATTN P S GOUGH
1048 SOUTH STREET
PORTSMOUTH NH 03801-5423

2 PRINCETON COMB RSCH LABS INC
ATTN N A MESSINA
M SUMMERFIELD
PRINCETON CORPORATE PLAZA
BLDG IV SUITE 119
11 DEERPARK DRIVE
MONMOUTH JUNCTION NJ 08852

1 ROCKWELL INTERNATIONAL CORP
ROCKETDYNE DIVISION
ATTN J E FLANAGAN HB02
6633 CANOGA AVENUE
CANOGA PARK CA 91304

1 SCIENCE APPLICATIONS INC
ATTN R B EDELMAN
23146 CUMORAH CREST
WOODLAND HILLS CA 91364

3 SRI INTERNATIONAL
ATTN G SMITH
D CROSLEY
D GOLDEN
333 RAVENSWOOD AVENUE
MENLO PARK CA 94025

1 STEVENS INSTITUTE OF TECH
DAVIDSON LABORATORY
ATTN R MCALEVY III
HOBOKEN NJ 07030

2 SVERDRUP TECHNOLOGY INC
LERC GROUP
ATTN R J LOCKE MS SVR-2
J DEUR
2001 AEROSPACE PARKWAY
BROOK PARK OH 44142

1 TEXTRON DEFENSE SYSTEMS
ATTN A PATRICK
2385 REVERE BEACH PARKWAY
EVERETT MA 02149-5900

NO. OF
COPIES ORGANIZATION

3 THIOKOL CORPORATION
ELKTON DIVISION
ATTN R BIDDLE
R WILLER
TECH LIB
PO BOX 241
ELKTON MD 21921

3 THIOKOL CORPORATION
WASATCH DIVISION
ATTN S J BENNETT
PO BOX 524
BRIGHAM CITY UT 84302

1 UNITED TECHNOLOGIES CORP
CHEMICAL SYSTEMS DIVISION
ATTN R R MILLER
PO BOX 49028
SAN JOSE CA 95161-9028

1 UNITED TECHNOLOGIES RSCH CTR
ATTN A C ECKBRETH
EAST HARTFORD CT 06108

1 UNIVERSAL PROPULSION COMPANY
ATTN H J MCSPADDEN
25401 NORTH CENTRAL AVENUE
PHOENIX AZ 85027-7837

1 VERITAY TECHNOLOGY INC
ATTN E B FISHER
4845 MILLERSPORT HIGHWAY
PO BOX 305
EAST AMHERST NY 14051-0305

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND

41 DIR USARL
ATTN AMSRL W M P
G F ADAMS
W R ANDERSON
R A BEYER
K P MC-NEILL BOONSTOPPEL
S W BUNTE
C F CHABALOWSKI
A COHEN
R CUMPTON
R DANIEL
D DEVYNCK
R A FIFER
B E FORCH
J M HEIMERL
B E HOMAN
A W HORST
A JUHASZ
A J KOTLAR
R KRANZE
E LANCASTER
W F MCBRATNEY
K L MCNESBY
M MCQUAID
N E MEAGHER
M S MILLER
A W MIZIOLEK
J B MORRIS
J E NEWBERRY
S V PAI
R A PESCE-RODRIGUEZ
J RASIMAS
P REEVES
B M RICE
P SAEGAR
R C SAUSA
M A SCHROEDER
R SCHWEITZER
L D SEGER
J A VANDERHOFF
D VENIZELOS
A WHREN
H L WILLIAMS

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project(0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE March 1997	3. REPORT TYPE AND DATES COVERED Final, 1 Jan - 1 Jun 93		
4. TITLE AND SUBTITLE Thermophysical Properties of RDX		5. FUNDING NUMBERS PR: 1L161102AH43		
6. AUTHOR(S) Martin S. Miller				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Army Research Laboratory ATTN: AMSRL-WM-PC Aberdeen Proving Ground, MD 21005-5066		8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TR-1319		
9. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING AGENCY REPORT NUMBER		
11. SUPPLEMENTARY NOTES Data in this report were published in Martin S. Miller, Journal of Thermophysics and Heat Transfer, vol. 8, pp. 803-805, 1994.				
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.			12b. DISTRIBUTION CODE	
13. ABSTRACT (Maximum 200 words) Measurements of the thermal conductivity and thermal diffusivity of RDX (cyclotrimethylenetrinitramine) over the ambient temperature range -20° to +50° C are reported using a recently developed transient technique for small specimens of energetic material. These data are obtained from 95% of TMD, pressed-powder specimens. Both the thermal conductivity and derived values of the specific heat are in good agreement with previous measurements made at somewhat higher temperatures.				
14. SUBJECT TERMS thermal conductivity, thermal diffusivity, specific heat, RDX			15. NUMBER OF PAGES 18	
			16. PRICE CODE	
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

INTENTIONALLY LEFT BLANK.

USER EVALUATION SHEET/CHANGE OF ADDRESS

This Laboratory undertakes a continuing effort to improve the quality of the reports it publishes. Your comments/answers to the items/questions below will aid us in our efforts.

1. ARL Report Number/Author ARL-TR-1319 (Miller) Date of Report March 1997

2. Date Report Received _____

3. Does this report satisfy a need? (Comment on purpose, related project, or other area of interest for which the report will be used.) _____

4. Specifically, how is the report being used? (Information source, design data, procedure, source of ideas, etc.) _____

5. Has the information in this report led to any quantitative savings as far as man-hours or dollars saved, operating costs avoided, or efficiencies achieved, etc? If so, please elaborate. _____

6. General Comments. What do you think should be changed to improve future reports? (Indicate changes to organization, technical content, format, etc.) _____

CURRENT
ADDRESS

Organization

Name

E-mail Name

Street or P.O. Box No.

City, State, Zip Code

7. If indicating a Change of Address or Address Correction, please provide the Current or Correct address above and the Old or Incorrect address below.

OLD
ADDRESS

Organization

Name

Street or P.O. Box No.

City, State, Zip Code

(Remove this sheet, fold as indicated, tape closed, and mail.)

(DO NOT STAPLE)